## Public reporting burden for finis collection of information is estimated to average 1 nour per response, including the little for reviewing instructions, searching existing data sources, garrienting and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS. 2. REPORT TYPE 3. DATES COVERED (From - To) 1. REPORT DATE (DD-MM-YYYY) Technical Paper 5a. CONTRACT NUMBER 4. TITLE AND SUBTITLE F04611-00-C-0036 5b. GRANT NUMBER 5c. PROGRAM ELEMENT NUMBER 5d. PROJECT NUMBER 6. AUTHOR(S) 3005 5e. TASK NUMBER 00TR 5f. WORK UNIT NUMBER 549936 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) 8. PERFORMING ORGANIZATION REPORT 10. SPONSOR/MONITOR'S 9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) ACRONYM(S) Air Force Research Laboratory (AFMC) 11. SPONSOR/MONITOR'S AFRL/PRS NUMBER(S) 5 Pollux Drive Edwards AFB CA 93524-7048 12. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited. 13. SUPPLEMENTARY NOTES 14. ABSTRACT 20030128 083 15. SUBJECT TERMS 19a, NAME OF RESPONSIBLE 18. NUMBER 16. SECURITY CLASSIFICATION OF: 17. LIMITATION OF PAGES **PERSON** OF ABSTRACT Leilani Richardson 19b. TELEPHONE NUMBER c. THIS PAGE a. REPORT b. ABSTRACT (include area code) A (661) 275-5015 Unclassified Unclassified Unclassified

REPORT DOCUMENTATION PAGE

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and

Form Approved

OMB No. 0704-0188

00 C 0036

300 SOOTR

MEMORANDUM FOR PRS (In-House/Contractor Publication)

14 May 2002

FROM: PROI (STINFO)

SUBJECT: Authorization for Release of Technical Information, Control Number: **AFRL-PR-ED-AB-2002-112** David White (W.E.) *et al.*, "MicroPPT Development for Small Spacecraft Propulsion"

28<sup>th</sup> International Electric Propulsion Conference (Toulouse, France, 17-21 March 2003) (<u>Deadline: 14 June 2002</u>)

(Statement A)

MicroPPT Development for Small Spacecraft Propulsion

Stewart S. Bushman, David White, John H. Schilling
W.E. Research
4360 San Juan Court
Rosamond, CA, 93560
stoobush@stoobush.com

Gregory G. Spanjers, Daron R. Bromaghim, Erik L. Antonsen, Capt. James Lake, Michael Dulligan AFRL Propulsion Directorate, Edwards AFB, CA 93524

## **ABSTRACT**

A class of miniaturized pulsed plasma thrusters (PPT), known as MicroPPTs, 1,2 is currently in development at the Air Force Research Laboratory. Operating by means of a surface discharge across a Teflon™ propellant fuel bar only a few millimeters in diameter, the MicroPPT delivers a thrust-to-power ratio of 5-10 µN-s/J. In the near term, these thrusters can provide propulsive attitude control on 150-kg-class spacecraft using 1/5th the dry mass of conventional torque rods and reaction wheels. Eventually these thrusters are designed for primary and attitude control propulsion on future 25-kg class spacecraft. Efforts to characterize MicroPPT performance and the thruster plume are underway. To this end, a modified torsional thrust stand has been developed for the purpose of accurately measuring the low-level thrust generated by the MicroPPT. A Herriott Cell interferometer is introduced to establish the plume electron and neutral densities. Comparison of the measured electron density with modeling predictions shows close agreement. Additionally, a Pockels cell has been developed to provide a zeroimpedance MicroPPT breakdown voltage measurement, and an intensified CCD array has been used to characterize the divergence of both the thruster plume and the late-time A synopsis is also presented of the status of the thruster particulate emission. development, including lifetime, thermal, and environmental testing.

<sup>2</sup> Spanjers, Gregory G., "Self-Triggering Micro Pulsed Plasma Thruster," Provisional US Patent 09/518,164, March 6, 2000.

<sup>&</sup>lt;sup>1</sup> Spanjers, Gregory G., "Micro Pulsed Plasma Thruster having Coaxial Cable Segment Propellant Modules," Patent Number US 6,269,629 awarded Aug 7, 2001.